





CONTENTS



4. Overview




6. B-moved®



10. BASE (PS03)



14. VELOCE (PS06)



18. INVISIBLE (PS08)



22. LIBRO MAXI (PS11)



26. IDEA (PS22)



30. LIBRO (PS23)



34. PIANO (PS40)



40. VOLO (PS48)




46. AGILE (PS60)



50. MAGICO (PS66)



54. Adjustable Door Straightener (BRO4)



56. Range Selection Guide





CINETTO



Founded in Italy in 1948, Cinetto has grown from a small hardware shop to become one of the world's leaders in the production of sliding systems and designer aluminium profiles. Using the most advanced production techniques, their history of manufacturing quality products allows them to develop products that not only look great but function effortlessly too.

The Cinetto range also includes industry leading technology in B-moved for electrical opening and closing of doors. B-moved ensures silent and safe movement of doors and is equipped with wave sensor and remote control capabilities.






B-moved® SMART TECHNOLOGY

Exclusive to Wilson & Bradley, B-moved® is industry leading technology, that allows for the electronic opening and closing of doors on many different systems.

B-moved® ensures silent and safe movement of doors, and is equipped with wave sensor and remote control capabilities. It is also smart home compatible, allowing you to control your doors at the click of a button. It brings forth a new experience of sliding, and adds a creative edge to new projects or renovations.



B-moved SMART TECHNOLOGY

Overview


- Compatible with PIANO (PS40) and VOLO (PS48)
- Exclusive to Wilson & Bradley
- Electric system for opening and closing of wardrobe doors
- Activates with remote control or wave sensor
- Can connect to smart lights or other electronic devices
- Can connect with a proximity sensor and with "Home Assistant" systems

Applications


- Wardrobes
- Storage cabinets
- Commercial applications
- Living room/TV cabinets



















Opening Capabilities

Standard opening with manual input or by using the remote control.



Wave Sensor Technology

Wireless proximity sensor: Possibility of opening using wireless proximity sensors.

- New door control system via wireless proximity sensors
- Up to 10 sensors per door
- Max recommended distance between receiver unit and sensors: 10 meters
- 1 wave sensor unit every 2 doors









Smart Home Device Compatible

Compatible with Home Assistant systems, as well as smart phones.







BASE (PSO3) SLIDING SYSTEM FOR INTERNAL DOORS

The Cinetto BASE is a cost effective, simple to assemble, practical sliding system that can be used on a variety of applications such as a wardrobe, storage cabinets or overhead cabinets. The BASE uses a universal rebated top and bottom track with optional soft close features. This system is used for applications where the door sits inside the carcase.

Overview

- Cost effective system
- Easy to install
- Up to 20kg wooden doors
- Available with soft close
- ± 1.5mm height adjustment

Applications:

- Kitchens
- Wardrobes
- Storage Units



Specifications

Track length: 3050mm

- Door thickness:
 - Wooden doors
 - With soft close: 16mm-20mm
 - Without soft close: 16mm-50mm Glass doors
 - Without soft close: 5mm
- Max height: 1200mm
- Max width
 - With soft close: 500mm-1200mm
 - Without soft close: 400mm-1200mm
- Weight capacity: 20kg per door ± 1.5mm height adjustment
- Applications (Wood and Glass)

HOW TO ORDER

STEP 1

Select Number of Doors

- Door kit
- Soft close (only for Wooden Doors)

STEP 2

Select the Door Material

- Wooden doors
- Glass doors

STEP 3


Select Rails:

• Upper/Lower rail

STEP 4

Optional:

• Catch for non soft-close







ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.

WOOD APPLICATION



GLASS APPLICATION



BASE COMPONENTS

















KITS

DOOR KITS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|--|----------|--------|
| CPS03DK | Cinetto BASE Sliding System for Internal Doors Sliding Kit Set for Wooden Doors. Includes 2x Upper Slides & 2 x Lower Slides | Set | - |
| CPS03SKG | Cinetto BASE Sliding System for Internal Doors Sliding Kit Set for Glass Doors. Includes 2x Upper Slides & 2 x Lower Slides | Set | - |

SOFT CLOSE

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|-----------|---|----------|--------|
| CPS03SCIL | Cinetto BASE Sliding System for Internal Doors Soft Close Kit for Left Internal Door | Each | - |
| CPS03SCIR | Cinetto BASE Sliding System for Internal Doors Soft Close Kit for Right Internal Door | Each | - |
| CPS03SCEL | Cinetto BASE Sliding System for Internal Doors Soft Close Kit for Left External Door | Each | - |
| CPS03SCEL | Cinetto BASE Sliding System for Internal Doors Soft Close Kit for Right External Door | Each | - |

UPPER/LOWER RAILS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|--|----------|--------|
| CPS03R3 | Cinetto Upper/Lower Rail for BASE & VELOCE | Length | 3050mm |

OPTIONAL ACCESSORIES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|---|----------|--------|
| CPS03PL | Cinetto BASE Sliding System for Internal Doors Catch for Non Soft Close Doors | Each | - |



VELOCE (PS06) SLIDING SYSTEM FOR HANGING DOORS

The Cinetto VELOCE is the perfect system for your wardrobe. Sitting concealed behind the pelmet, the doors hang on the top track and can be installed with optional soft close features. The VELOCE system can be installed with an optional bottom guide for added stability and movement.

Overview

- Easy to install
- To suit 18-50mm doors
- Up to 50kg wooden doors
- Available with soft close

Applications:

- Wardrobes
- Storage Closets



Specifications

- Track Length: 3050mm
- Door Thickness: 18mm-50mm
- Max Height: 2500mm
- Max Width: 500mm-1400mm
- Weight Capacity: 50kg per door
- ± 5mm height adjustment

HOW TO ORDER

STEP 1

Select Number of Doors

- Door Kit
- Soft Close Device

STEP 2


Select Rails

- Upper rail
- Lower rail




ORDER A CINETTO KIT:


Alternatively, you may choose to simply purchase a complete Cinetto kit.



BUILT-IN APPLICATION



CABINET APPLICATION



VELOCE COMPONENTS











KITS

DOOR KITS

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|---------|---|----------|----------|
| CPS06DK | Cinetto VELOCE Sliding System for Hanging Doors Sliding Kit Set for Wooden Doors. Includes 2x Upper Slides & 2 x Lower Guides | Set | - |

SOFT CLOSE

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|---------|--|----------|----------|
| CPS06SC | Cinetto VELOCE Sliding System for Hanging Doors Soft Close Device Kit | Each | - |

RAILS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS06UR3 | Cinetto VELOCE Sliding System for Hanging Doors Upper Rail. Length: 3050mm | Length | 3050mm |
| CPS03R3 | Cinetto Upper/Lower Rail Guide for BASE & VELOCE | Length | 3050mm |



INVISIBLE (PSO8) SLIDING SYSTEM WITH INVISIBLE RAILS

The Cinetto INVISIBLE is exactly that, Invisible!

With a rebated top and bottom track, this system allows you to create a clean-cut look where the track is not exposed, allowing your door fronts and application to be the centre of attention.

Overview

- Easy to install
- Rebated top and bottom track
- Able to suit any doors thicknesses. The only limitation is the weight of the door
- Up to 60kg wooden doors
- Available with soft-close
- +3 -2mm height adjustment



Applications:

- Wardrobes
- Storage Units
- Living Rooms

Specifications

- Track Length: 3050mm
- Door Thickness: n/a
- Max Height: 2800mm
- Max Width: 450mm-1400mm
- Weight Capacity: 60kg per door
- +3 -2mm height adjustment

HOW TO ORDER

STEP 1:

Select Number of Doors


• Door Kit

STEP 2:

Select Rails


- Upper Rail
- Lower Rail






ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.





INVISIBLE COMPONENTS









CODES

DOOR KITS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|--|----------|--------|
| CPS08DK | Cinetto INVISIBLE Sliding System with Invisible Doors Sliding Kit Set. | Set | - |

RAILS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|--|----------|--------|
| CPS08UR3 | Cinetto INVISIBLE Sliding System with Invisible Doors Upper Rail. Length: 3050mm | Length | 3050mm |
| CPS08LR3 | Cinetto INVISIBLE Sliding System with Invisible Doors Lower Rail. Length: 3050mm | Length | 3050mm |



LIBRO MAXI (PS11) SLIDING BI-FOLD SYSTEM



The Cinetto LIBRO MAXI Sliding Bi-Fold System is a quality, Italian system, with performance that exceeds other systems in the market.

Ideal for architects and designers who are constantly searching for the latest technology and innovative features for home design and functionality.

Overview

- Allows for creation of sliding systems with a completely flat façade
- Suitable for wooden doors
- Flexibility to choose number of doors and configurations

Applications:

- Wardrobes
- Kitchens
- Living Spaces
- Commercial Applications

Specifications

- Door Thickness: Min 16mm (18mm with Vertical Adjuster)
- ± 3mm Vertical Adjustment
- Max Height: 3000mm
- Width of double doors: 600mm-1000mm
- Length: 3050mm rails
- Max Weight: 40kg per set of double doors

HOW TO ORDER

STEP 1:

Select Number of Doors

- Slide and Accessories Kit
- Coextruded Plastic Profile

STEP 2:


Select Rails

- Upper Track
- Lower Track

OPTIONAL:

Select Accessories

- Vertical Adjuster
- Door Straightener







ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.

APPLICATION





LIBRO MAXI (PS11) COMPONENTS









LIBRO BI-FOLD DOOR HARDWARE SET

| CODE | DESCRIPTION | SOLD PER | LENGTH | COLOUR |
|---------|--|----------|--------|--------|
| CPS11AC | Cinetto LIBRO MAXI Sliding Bi-Fold System Slides and Accessories Kit for Pair Wooden Doors (Double Door Kit) | Set | - | - |
| CPS11PP | Cinetto LIBRO MAXI Sliding Bi-Fold System Coextruded Plastic Profile | Length | 2600mm | Black |

SELECT RAILS


| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS11UR3 | Cinetto LIBRO MAXI Sliding Bi-Fold System Upper Track | Length | 3050mm |
| CPS11LR3 | Cinetto LIBRO MAXI Sliding Bi-Fold System Lower Track | Length | 3050mm |

OPTIONAL ACCESSORIES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|---|----------|--------|
| CPS11AD | Cinetto LIBRO MAXI Sliding Bi Fold System Vertical Adjuster for Pair of Wooden Doors (Double Door Kit) optional | Set | - |
| CBR04DS | Cinetto Wooden Door Straightener. Top and Back Adjustment | Each | 2175mm |



IDEA (PS22) ONE WAY SLIDING SYSTEM



Whether it is used on kitchen overheads, a TV setting or similar, the Cinetto IDEA provides flexibility, functionality, and the endless ability to create unique designs.

Overview

- One-way sliding system for rails and door frontally applied
- To suit wooden doors
- Possibility to create unique design trends
- Optional soft close

Applications:

- Kitchens
- Bathrooms
- Living Rooms
- Storage Units
- Buffet Units

MADE IN ITALY

Specifications

- To suit from 16mm door thickness
- To suit 16mm and 32mm carcase thickness
- Max Height: 1200mm*the door must be wider than higher*
- Max Length: 3050mm
- Min Door Thickness with Soft Close: 22mm
- Min Door Thickness without Soft Close: 16mm
- Min Door Width with 2 way Soft Close: 900mm
- Min Door Width without Soft Close: 400mm
- Vertical Adjustment: ± 3mm
- Max Weight: 20kg per door

HOW TO ORDER

STEP 1:


Select Number of Doors

- Adjustable Slides Set
- Universal Soft Closing Device

STEP 2:

Select Rails


- Upper Track
- Lower Track
- End Caps
- Gasket Cover Fixing (only for 30mm)






ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.





IDEA COMPONENTS (PS22)











1 DOOR HARDWARE SET (FOR 15MM)

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|---------|---|----------|----------|
| CPS22AS | Cinetto IDEA One Way Sliding System Adjustable Slides Set. Include 2x Upper Slides & 2x Lower Slides | Set | 20kg |
| CPS22SC | Cinetto IDEA One Way Sliding System Soft Closing Device (Left and Right). Universal | Each | - |

SELECT RAILS & ACCESSORIES (FOR 15MM)

| CODE | DESCRIPTION | SOLD PER | SIZE |
|-----------|---|----------|--------|
| CPS22R15 | Cinetto IDEA One Way Sliding System Upper/Lower Rail 15mm | Length | 3050mm |
| CPS22CP15 | Cinetto IDEA One Way Sliding System Cover Profile 15mm | Length | 3050mm |
| CPS22HP15 | Cinetto IDEA One Way Sliding System End Head Caps (Pair) | Set | 15mm |

1 DOOR HARDWARE SET (FOR 30MM)

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|---------|--|----------|----------|
| CPS22AS | Cinetto IDEA One Way Sliding System Adjustable Slides Set. Include 2x Upper Slides & 2x Lower Slides | Set | 20kg |
| CPS22SC | Cinetto IDEA One Way Sliding System Soft Closing Device (Left and Right). Universal | Each | - |

SELECT RAILS & ACCESSORIES (FOR 30MM)

| CODE | DESCRIPTION | SOLD PER | SIZE |
|-----------|---|----------|--------|
| CPS22R30 | Cinetto IDEA One Way Sliding System Upper/Lower Rail 30mm | Length | 3050mm |
| CPS22CP30 | Cinetto IDEA One Way Sliding System Cover Profile 30mm | Length | 3050mm |
| CPS22CP30 | Cinetto IDEA One Way Sliding System Gasket for Cover Fixing in the Rail | Length | 3000mm |
| CPS22HP30 | Cinetto IDEA One Way Sliding System End Head Caps (Pair) | Set | 30mm |



LIBRO (PS23) BI-FOLD DOOR SYSTEMS



The Cinetto LIBRO Bi-Fold Door System, with its premium Italian design, creates a statement when added to any setting.

Whether in wardrobes, European laundries or even pantries, the Cinetto LIBRO system operates as smooth as any other. Operating on ball bearing runners, the system can cater to options up to 50kg and its sturdy aluminium design ensures that it is fit for any project.

Overview

- Folding sliding system
- Suits timber or Aluminium framed glass doors
- Left hand roller & hinge moves to left when opening
- Right hand roller & hinge moves to right when opening
- Material: Aluminium (ALU)
- Available in anodised or black componentry

Applications:

- Wardrobes
- Kitchens
- Living Spaces
- European Laundry

Specifications

- 2 systems available, version to suit 25kg leaf and 50kg leaf
- Door thickness: 16-35mm
- Max Height:
 - 3000mm with bottom track
 - 2400mm without bottom track
- Max Width for 1 folding door:
 - 1200mm with bottom track
 - 900mm without bottom track
- Min Door Width: 400mm

Specifications change dependant on what runner set is chosen

HOW TO ORDER

STEP 1:

Select Number of Doors

- Upper Slide Kit
- Plastic Upper Slide Cover
- Centre Hinges

STEP 2:


Select Rails

• Upper Rail

OPTIONAL:

Select Accessories

- Lower Rail
- Lower Slide Kit
- Door Straightener




side elevation image for 25kg leaf




ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.



side elevation image for 50kg leaf

WOOD APPLICATION



LIBRO (PS23) COMPONENTS







BI-FOLD DOOR HARDWARE SET

| CODE | DESCRIPTION | COLOUR | SOLD PER | CAPACITY |
|------------|--|--------|----------|----------|
| CPS23USL | Cinetto LIBRO Bi-Fold Door System Left Hand Upper Slide Kit | - | Each | 50kg |
| CPS23USR | Cinetto LIBRO Bi-Fold Door System Right Hand Upper Slide Kit | - | Each | 50kg |
| CPS23URC | Cinetto LIBRO Bi-Fold Door System Plastic Cover for Upper Slide | Grey | Each | - |
| CPS23USL25 | Cinetto LIBRO MINI Bi-Fold Door System Left Hand Upper Slide Kit | - | - | 25kg |
| CPS23USR25 | Cinetto LIBRO MINI Bi-Fold Door System Right Hand Upper Slide Kit | - | - | 25kg |
| CPS23URC25 | Cinetto LIBRO MINI Bi-Fold Door System Plastic Cover for Upper Slide | - | - | 25kg |
| CPS23URCB | Cinetto LIBRO Bi-Fold Door System Plastic Cover for Upper Slide | Black | - | - |

CENTRE HINGES

| CODE | DESCRIPTION | COLOUR | SOLD PER |
|----------|--|-------------|----------|
| CASYM50 | Cinetto Asymmetrical Hinge 50 x 42 | Zinc Plated | Each |
| CASYM50B | Cinetto Asymmetrical Hinge 50 x 42 | Black | Each |
| | Or | | |
| TKC382 | Adjustable Centre Hinge For Concealed Folding Door Track | - | Each |

SELECT RAILS

| CODE | DESCRIPTION | COLOUR | SOLD PER | LENGTH |
|-----------|--|--------------------|----------|--------|
| CPS23UR15 | Cinetto LIBRO Bi-Fold Door System Upper Rail | Anodised Silver | Length | 1500mm |
| CPS23UR3 | Cinetto LIBRO Bi-Fold Door System Upper Rail | Anodised | Length | 3050mm |
| CPS23UR3B | Cinetto LIBRO Bi-Fold Door System Upper Rail | Black | Length | 3050mm |

OPTIONAL

| CODE | DESCRIPTION | COLOUR | SOLD PER | LENGTH |
|-----------|---|--------|----------|--------|
| CPS23LR15 | Cinetto LIBRO Bi-Fold Door System Lower Slide Kit | - | Length | 1500mm |
| CPS23LR3 | Cinetto LIBRO Bi-Fold Door System Lower Rail | - | Length | 3050mm |
| CPS23LS | Cinetto LIBRO Bi-Fold Door System Lower Slide Kit | - | Each | - |
| CBR04DS | Cinetto Wooden Door Straightener. Top and Back Adjustment | - | Each | 2175mm |
| CPS23LR3B | Cinetto LIBRO Bi-Fold Door System Lower Rail | Black | Length | 3050mm |



PIANO (PS40) COPLANAR SYSTEM

The Cinetto PIANO
Coplanar System is 100%
customisable. Thanks to
the mechanism that
incorporates all of the
movements, the track can be
cut to size according to the
project's needs.

Cinetto's PIANO System allows you to create any type of combinations with 1, 2 or 3 doors. The PIANO System is customisable and compatible with B moved smart home technology.

Overview

- Aligned wardrobe panels providing a completely flush look when closed
- Soft opening and soft closing
- To suit wooden doors and with aluminium framed doors
- Numbers of doors: up to 3 doors
- Compatible with B-moved
- Handle Profiles avaiiable

Applications:

- Wardrobes
- Storage Cabinets
- Commercial Applications
- Living/TV Cabinets



Specifications

- Track Length: 2m and 4m
- Max Height: 3000mm
- Width of each door (2 doors): min 890mm, max 1800 mm
- Width of each door (3 doors): min 1300 mm, max 1800 mm (Check track length availability for max door widths)
- Doors thickness: min 16 mm, max 43 mm (55mm including handles)
- Adjustment of the door height: ±6mm
- Weight Capacity:
- 2 Door Systems: Max 60 kg
- 3 Door Systems: Max 45kg for outer doors, 100kg for middle doors
- B Moved only available in 1 or 2 door applications

HOW TO ORDER

STEP 1

Select Number of Doors

- 1 Door System Slide Kit
- 2 Door System Slide Kit
- 3 Door System Slide Kit
- Slide Adapters

STEP 2:

Select Rails

- Upper Rail
- Lower Rail
- Cover Profile

STEP 3:

Optional Accessories:

- Door Straightener
- Handle Profile
- Edge Cover Profile
- Dust Brush Profile

STEP 4:

Compatible with B-moved® Electrical System!

- Upper Rail
- Connector Brackets
- Electronic Unit
- Motion Transmission Bars

Add: For Wave Sensor

- Wave Sensor
- Wave Sensor Receiver Unit


Add: For Smart Home Compatibility

• Aux Control Input




ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.





PIANO (PS40) SYSTEM APPLICATIONS


1DOOR




2 DOORS








3 DOORS





PIANO (PS40) COMPONENTS

















SLIDE KITS AND ADAPTERS:

FOR 2 DOOR SYSTEMS

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|-----------|---|----------|--|
| CPS40SRH3 | Cinetto PIANO Coplanar Door System Slides Kit for Right Hand Door. 2 & 3 Door Wardrobe. | Each | 45kg per outer door 100kg per middle door |
| CPS40SLH3 | Cinetto PIANO Coplanar Door System Slides Kit for Left Hand Door. 2 & 3 Door Wardrobe. | Each | 45kg per outer door 100kg per middle door |
| CPS40SRH2 | Cinetto PIANO Coplanar Door System Slides Kit for Right Hand Door. 2 Door Wardrobe. | Each | 60kg per door |
| CPS40SLH2 | Cinetto PIANO Coplanar Door System Slides Kit for Left Hand Door. 2 Door Wardrobe. | Each | 60kg per door |

FOR 3 DOOR SYSTEMS

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|-----------|---|----------|--|
| CPS40SRH3 | Cinetto PIANO Coplanar Door System Slides Kit for Right Hand Door. 2 & 3 Door Wardrobe. | Each | 45kg per outer door 100kg per middle door |
| CPS40SLH3 | Cinetto PIANO Coplanar Door System Slides Kit for Left Hand Door. 2 & 3 Door Wardrobe. | Each | 45kg per outer door 100kg per middle door |
| CPS40URC | Cinetto PIANO Coplanar Door System Cover for Upper Slide | Each | - |

ADAPTERS

| CODE | DESCRIPTION | SOLD PER |
|---------|---|----------|
| CPS40SA | Cinetto PIANO Coplanar Door System Slide Adapters to suit Wooden Doors | Set |

PIANO (PS40) COMPONENTS

















SELECT RAILS

UPPER RAIL

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS40UR2 | Cinetto PIANO Coplanar Door System Upper Rail | Length | 2000mm |
| CPS40UR4 | Cinetto PIANO Coplanar Door System Upper Rail | Length | 4000mm |
| CPS40CP2 | Cinetto PIANO Coplanar Door System Cover Profile for Upper Rail | Length | 2000mm |
| CPS40CP4 | Cinetto PIANO Coplanar Door System Cover Profile for Upper Rail | Length | 4000mm |

LOWER RAIL

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS40LR2 | Cinetto PIANO Coplanar Door System Lower Rail | Length | 2000mm |
| CPS40LR4 | Cinetto PIANO Coplanar Door System Lower Rail | Length | 4000mm |

HANDLE PROFILES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS40HP | Cinetto PIANO Coplanar Door System Handle Profile A to suit 18mm and 25mm. | Length | 3050mm |
| CPS40ECP | Cinetto PIANO Coplanar Door System Edge Cover Profile B for Handle Profile to suit 18mm Handle Profile. | Length | 3050mm |
| CPS40DBP | Cinetto Dust Brush Profile for Handle Profiles 5mm. | Length | 3000mm |

OPTIONAL ACCESSORIES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|---|----------|--------|
| CBR04DS | Cinetto Wooden Door Straightener. Top and Back Adjustment | Each | 2175mm |

PIANO B-moved® COMPONENTS [B-moved®















RAILS AND CONNECTORS:

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|-----------|--|----------|--------|
| CPS40UR2B | Cinetto PIANO Coplanar Door System B-moved [®] Upper Rail. | Length | 2000mm |
| CPS40UR4B | Cinetto PIANO Coplanar Door System B-moved® Upper Rail | Length | 4000mm |
| CPS40URBB | Cinetto PIANO Coplanar Door System B-moved [®] Connector Brackets for Upper Slide. Left and Right Brackets. | Set | - |

B-moved® ELECTRICAL COMPONENTS

MOTION TRANSMISSION BARS

| CODE | DESCRIPTION | SOLD PER | DOOR WIDTHS |
|----------|--|----------|----------------|
| BMOVETBA | Cinetto B-moved $^{\circledR}$ Motion Transmission Bar for 2 Door Systems. | Each | 888 -1296mm |
| BMOVETBB | ${\sf CinettoB-moved}^{ @} {\sf MotionTransmissionBarfor2DoorSystems}.$ | Each | 1154 -1800mm |

B-moved® ELECTRONIC UNIT


| CODE | DESCRIPTION | SOLD PER |
|-----------|--|----------|
| BMOVEUNIT | Cinetto B-moved® Electronic Unit with Remote Control | Each |

ADD: FOR WAVE SENSOR COMPATIBILITY

| CODE | DESCRIPTION | SOLD PER |
|-----------|--|----------|
| BMOVEWUNI | Cinetto B-moved [®] Wave Sensor Receiver Unit | Each |
| BMOVEWSEN | Cinetto B-moved [®] Wave Sensor with Assembling Accessory | Each |

ADD: FOR SMART HOME COMPATIBILITY

| CODE | DESCRIPTION | SOLD PER |
|-----------|--|----------|
| BMOVECONT | Cinetto B-moved [®] Connector for Aux Control Input | Each |



VOLO (PS48) SLIDING SYSTEM FOR OVERLAPPING DOORS

Exclusive to Wilson and Bradley, the Cinetto VOLO Sliding System for Overlapping Doors provides an industry standard in terms of quality Italian design.

The incredibly silent and smooth functionality, alongside the ability to be equipped with the Cinetto B-moved®system, presents an industry first innovation.

Overview

- Sliding System for Overlapping Doors
- Frontal Adjustment
- Suitable for wooden and aluminium frame doors
- Smooth and silent functionality
- Compatible with B-moved®
- Handle Profiles available

Applications:

- Wardrobes
- Storage Cabinets
- Commercial Applications
- Living/TV Cabinets

MADE IN MALY

Specifications

- Track Length: 2m-4m
- Max Height: 3000mm
- Doors thickness: to suit 18mm-32mm board
- Adjustment of the door: ±6 mm
- Weight Capacity: 80kg per door

HOW TO ORDER

STEP 1:

Select Number of Doors

- Internal Door Slide Kit
- External Door Slide Kit
- Soft Close
- Soft Close Activators

STEP 2:

Select Rails

- Upper Rail
- Lower Rail
- Cover Profile

STEP 3:

Optional Accessories:

- Door Straightener
- Handle Profile
- Dust Brush Profile

STEP 4:

Compatible with B Moved Electrical System!

- Upper Rail
- Connector Brackets
- Electronic Unit
- Motion Transmission Bars


Add: For Wave Sensor

- Wave Sensor
- Wave Sensor Receiver Unit


Add: For Smart Home Compatibility

• Aux Control Input





APPLICATION



VOLO (PS48) COMPONENTS













SELECT SLIDE SETS & SOFT CLOSE

INTERNAL DOOR SLIDES

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|---------|---|----------|----------|
| CPS48IS | Cinetto VOLO Sliding System for Overlapping Doors Wheel Kit Slides for Internal Door. | Set | 80kg |

EXTERNAL DOOR SLIDES

| CODE | DESCRIPTION | SOLD PER | TO SUIT | CAPACITY |
|-----------|--|----------|------------|----------|
| CPS48ES18 | Cinetto VOLO Sliding System for Overlapping Doors Wheel Kits Slides for External Door. | Set | 18mm Board | 80kg |
| CPS48ES25 | Cinetto VOLO Sliding System for Overlapping Doors Wheel Kits Slides for External Door. | Set | 25mm Board | 80kg |
| CPS48ES32 | Cinetto VOLO Sliding System for Overlapping Doors Wheel Kits Slides for External Door. | Set | 32mm Board | 80kg |

SOFT CLOSE

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|-----------|--|----------|----------|
| CPS48SC | Cinetto VOLO Sliding System for Overlapping Doors Soft Closing Kit for Left and Right Hand Doors. | Each | 50kg |
| CPS48CSC | Cinetto VOLO Sliding System for Overlapping Doors Central Soft Closing Kit. For 3 Door Systems. | Each | 50kg |
| CPS48SCAR | Cinetto VOLO Sliding System for Overlapping Doors Right Activator Kit for Soft Closing. | Each | - |
| CPS48SCAL | Cinetto VOLO Sliding System for Overlapping Doors Left Activator Kit for Soft Closing. | Each | - |

VOLO (PS48) COMPONENTS



















SELECT RAILS

UPPER RAIL

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|--|----------|--------|
| CPS48UR2 | Cinetto VOLO Sliding System for Overlapping Doors Upper Rail. | Length | 2000mm |
| CPS48UR4 | Cinetto VOLO Sliding System for Overlapping Doors Upper Rail. | Length | 4000mm |
| CPS48CP3 | Cinetto VOLO Dust Cover Profile. For Sliding System for Overlapping Doors and Coplanar System. | Length | 3000mm |

LOWER RAIL

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS48LR2 | Cinetto VOLO Sliding System for Overlapping Doors Lower Rail. | Length | 2000mm |
| CPS48LR4 | Cinetto VOLO Sliding System for Overlapping Doors Lower Rail. | Length | 4000mm |

HANDLE PROFILES

| CODE | DESCRIPTION | SOLD PER | TO SUIT | LENGTH |
|----------|--|----------|-------------|--------|
| CPS48NHP | Cinetto VOLO Sliding System for Overlapping Doors Narrow Handle Profile. | Length | 18mm Doors. | 2650mm |
| CPS48WHP | Cinetto VOLO Sliding System for Overlapping Doors Wide Handle Profile. | Length | 18mm Doors. | 2650mm |
| CPS48OHP | Cinetto VOLO Sliding System for Overlapping Doors Opposite Handle Profile. | Length | 18mm Doors. | 2650mm |
| CPS40DBP | Cinetto Dust Brush Profile for Handle Profiles 5mm. | Length | - | 3000mm |

OPTIONAL ACCESSORIES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|---|----------|--------|
| CBR04DS | Cinetto Wooden Door Straightener. Top and Back Adjustment | Length | 2175mm |

VOLO B-moved COMPONENTS B-moved















RAILS AND CONNECTORS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|-----------|---|----------|--------|
| CPS48UR4B | Cinetto VOLO Sliding System for Overlapping Doors Upper Rail for B-moved $^{\otimes}$. | Length | 4000mm |
| CPS48CBL2 | Cinetto VOLO Sliding System for Overlapping Doors B-moved $^{\otimes}$ Connector Brackets for Upper Rail. For 2 Right External Doors. | Set | - |
| CPS48CBR2 | Cinetto VOLO Sliding System for Overlapping Doors B-moved $^{\otimes}$ Connector Brackets for Upper Rail. For 2 Left External Doors. | Set | - |
| CPS48CB3 | Cinetto VOLO Sliding System for Overlapping Doors B-moved ® Connector Brackets for Upper Rail. For 3 Doors. | Set | - |

B-moved ELECTRICAL COMPONENTS:

MOTION TRANSMISSION BARS

| CODE | DESCRIPTION | SOLD PER |
|----------|--|----------|
| BMOVETBA | Cinetto B-moved [®] Motion Transmission Bar for 2 Door Systems. Door Widths: 888 -1296mm | Each |
| BMOVETBB | Cinetto B-moved $^{\rm @}$ Motion Transmission Bar for 2 Door Systems. Door Widths: 1154 - 1800 mm | Each |

B-moved® ELECTRONIC UNIT

| CODE | DESCRIPTION | SOLD PER |
|-----------|--|----------|
| BMOVEUNIT | ${\sf CinettoB-moved}^{\circledR} {\sf ElectronicUnitwithRemoteControl}$ | Each |

ADD: FOR WAVE SENSOR COMPATIBILITY


| CODE | DESCRIPTION | SOLD PER |
|-----------|--|----------|
| BMOVEWUNI | Cinetto B-moved [®] Wave Sensor Receiver Unit | Each |
| BMOVEWSEN | Cinetto B-moved [®] Wave Sensor with Assembling Accessory | Each |

ADD: FOR SMART HOME COMPATIBILITY

| CODE | DESCRIPTION | SOLD PER |
|-----------|--|----------|
| BMOVECONT | Cinetto B-moved [®] Connector for Aux Control Input | Each |



AGILE (PS60) FLOOR SLIDING FOR SINGLE SIDE DOORS



Using the bottom rollers and soft close technology, the AGILE is easy to assemble, and provides effortless functionality. The AGILE can also accomodate heavy doors, allowing for more bespoke design options.

Overview

- Floor Sliding System for Single Sided Doors
- To suit Wooden Doors
- Handle Profile available (to suit 18mm board)
- 1 or 2 way soft close

Applications:

- Wardrobes
- Storage cabinets
- Other living spaces



Specifications

- 2,3 and 4 Door Applications
- Max Height: 3000mm
- Max Door Width: 18mm
- Track Length: 3050mm
- Vertical Adjustment ±6mm
- Weight Capacity:
- 60kg with Soft Close
- 100kg without Soft Close

HOW TO ORDER

STEP 1:

Select Number of Doors

- Adjustable Lower Slides
- Soft Close
- Soft Close Activators

STEP 2:

Select Rails

- Upper Track
- Lower Track

STEP 3:

Optional Accessories:

- Door Straightener
- Handle Profile
- Dust Brush Profile




ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.

See our website for full list of kits and further technical information: www.wilbrad.com.au

TOP & BOTTOM FIXED APPLICATION



AGILE (PS60) COMPONENTS

















DOOR HARDWARE SET

WHEELS

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|----------|--|----------|----------|
| CPS60ALS | Cinetto AGILE Floor Sliding System for Single Sided Doors. Adjustable Lower Slide. | Each | 100kg |

SOFT CLOSE

| CODE | DESCRIPTION | SOLD PER | CAPACITY |
|----------|--|----------|----------|
| CPS60SCR | Cinetto AGILE Floor Sliding System for Single Sided Doors. Upper Slide with Soft Close. Right Hand. | Each | 60kg |
| CPS60SCL | Cinetto AGILE Floor Sliding System for Single Sided Doors. Upper Slide with Soft Close. Left Hand. | Each | 60kg |
| CPS60SCA | Cinetto AGILE Floor Sliding System for Single Sided Doors. Activator Kit for Soft Closing Device. | Each | - |

SELECT RAILS

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS60UR3 | Cinetto AGILE Floor Sliding System for Single Sided Doors. Two Way Upper Rail. | Length | 3050mm |
| CPS60LR3 | Cinetto AGILE Floor Sliding System for Single Sided Doors. Two Way Lower Rail. | Length | 3050mm |

HANDLE PROFILES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|----------|---|----------|--------|
| CPS60HP | Cinetto AGILE Floor Sliding System for Single Sided Doors Handle Profile. To suit 18mm Doors. | Length | 2650mm |
| CPS60DBP | Cinetto Dust Brush Profile for Handle Profiles 9mm. | Length | 3000mm |

OPTIONAL ACCESSORIES

| CODE | DESCRIPTION | SOLD PER | LENGTH |
|---------|---|----------|--------|
| CBR04DS | Cinetto Wooden Door Straightener. Top and Back Adjustment | Each | 2175mm |



MAGICO (PS66) SLIDING SYSTEM FOR RETRACTABLE DOORS

The Cinetto MAGICO allows you to obtain a clean and linear result thanks to innovative technology that works without upper and lower rails. The Cinetto MAGICO is the perfect application for walk-in closets or an entryway to a butler's pantry. It can also be used to convert one space into two separate rooms.

Overview

- Designed to suit 25 40mm doors
- Up to 50kg wooden doors
- Soft-close
- ± 3mm height adjustment



Applications:

- Butlers Pantry
- Walk in wardrobes

Specifications

- Door Thickness: 25mm-40mm
- Height: 2400mm-2700mm
- Width: 600mm-1000mm
- Weight Capacity: 50kg per door
- ±3mm height adjustment

HOW TO ORDER

STEP 1:

Select Doors

- Left Door
- Right Door

STEP 2:

Select Assembly Kit and System




ORDER A CINETTO KIT:

Alternatively, you may choose to simply purchase a complete Cinetto kit.

See our website for full list of kits and further technical information: www.wilbrad.com.au

APPLICATION



MAGICO COMPONENTS











TECHNICAL DETAILS

LEFT HAND DOOR

| CODE | DESCRIPTION | SOLD PER | HEIGHT |
|-----------|--|----------|-----------------|
| CPS66SYLM | Cinetto MAGICO Sliding System for Retractable Doors Left Hand System. | Each | 2400- 2700mm |
| CPS66AKLM | Cinetto MAGICO Sliding System for Retractable Doors Left Hand Assembly Kit. | Each | 2400- 2700mm |

RIGHT HAND DOOR

| CODE | DESCRIPTION | SOLD PER | HEIGHT |
|-----------|---|----------|-----------------|
| CPS66SYRM | Cinetto MAGICO Sliding System for Retractable Doors Right Hand System. | Length | 2400- 2700mm |
| CPS66AKRM | Cinetto MAGICO Sliding System for Retractable Doors Right Hand Assembly Kit. | Length | 2400- 2700mm |



ADJUSTABLE DOOR STRAIGHTENER (BRO4)



The Cinetto Door Straightener System allows for creativity and flexibility in customizing your sliding door system.

The system works in conjunction with thin wooden boards to stop the board from bowing once installed.

Overview

- Compatible with systems LIBRO MAXI (PS11), PIANO (PS40), VOLO (PS48) and AGILE (PS60)
- For use with wooden board
- Door straightening kit for 1 door
- 35mm cup drilling

- Cut to size
- Allows for Internal and external adjustment of the door
- Material: Zamac
- Comes with a plastic cover
- Finish: Grey
- For 16-18mm board
- Height: 2220mm

DOOR STRAIGHTENER



CINETTO WOODEN DOOR STRAIGHTENER.


The Cinetto Door Straightener System allows for creativity and flexibility in customising your sliding door system. The system works in conjunction with thin wooden boards to stop the board from bowing once installed.

Features:

- For 16-18mm board
- For use with wooden board
- Door straightening kit for 1 door
- 35mm cup drilling
- Cut to size
- Allows for Internal and external adjustment of the door
- Comes with a plastic cover
- Material: Zamac
- Finish: Grey



| CODE | LENGTH |
|---------|--------|
| CBR04DS | 2220mm |




HANDLE PROFILE

CINETTO ACCESSORIES

Available for the Cinetto Sliding Systems is a range of Aluminium profile handles. These high quality Aluminium profiles come in a variety of applications.

Overview

- Suitable for wooden doors
- Cut to customised heights
- To suit Piano (PS40), Volo (PS48) & Agile (PS60)



RANGE SELECTION GUIDE

| FUNCTION | BI-FOLDING | | | BI-FOLDING BOTTOM ROLLING | | | j | |
|-----------------------|---|---|---|---|--|--|---|--|
| PRODUCT | PS11 | PS23 | PS23 | PS23 | PS03 | PS03 | PS22 | PS60 |
| NAME | LIBRO MAXI | LIBRO (w bottom track) | LIBRO (w/o bottom track) | LIBRO mini | BASE (Glass) | BASE (Timber) | IDEA | AGILE |
| VISUAL DESCRIPTION | VV | VV | VV | V | | | |][|
| FUNCTION | Sliding Bi-Fold System Not fixed to the end of the cabinet | Bi-Fold System Fixed to the cabinet end | Bi-Fold System Fixed to the cabinet end | Bi-Fold System Fixed to the cabinet end | Sliding System for Internal Doors | Sliding System for Internal Doors | One Way Sliding System for Frontally Applied Doors | Bottom Rolling Sliding System for Single Sided Doors |
| MAX DOOR HEIGHT | 3000mm | 3000mm | 2400mm | 2100mm | 1200mm | 1200mm | 1200mm | 3000mm |
| DOOR THICKNESS | Min 16 & 18mm with Vertical Adjustment | 16mm-35mm | 16mm-35mm | 16mm-35mm | 5mm | 16mm-50mm | 16mm | 18mm |
| DOOR WIDTH | 600-1000mm per leaf | 400-1200mm per leaf | 400-900mm per leaf | 400-900mm per leaf | 400mm- 1200mm | 400mm- 1200mm | Any - must be wider than the height | Min 500-790mm Minimum dependent on door quantity & soft close |
| WEIGHT CAPACITY | 40kg per double door set | 50kg per double door set | 50kg per double door set | 25kg per double door set | 20kg per door | 20kg per door | 20kg per door | 60kg per door |
| MAX DOOR/ LEAF QTY | 5 leafs per track | 1 leaf per side | 1 leaf per side | 1 leaf per side | - | - | - | 4 doors |
| SOFT CLOSE | No | Yes Using soft close hinges | Yes Using soft close hinges | Yes Using soft close hinges | No | Yes | Yes | Yes |
| TRACK LENGTH | 3050mm | 2m or 3050mm | 2m or 3050mm | 2m or 3050mm | 3050mm | 3050mm | 3050mm | 3050mm |
| B-moved' COMPATIBLE | No | No | No | No | No | No | No | No |

BI-FOLDING



BOTTOM ROLLING



| FUNCTION | | | RETRACTING | | | |
|------------------------|-------------------------------------|--|---|--|--|---|
| PRODUCT | PS06 | PS08 | PS40 | PS48 | PS48 | PS66 |
| NAME | VELOCE | INVISIBLE | PIANO | VOLO Soft close | VOLO No soft close | MAGICO |
| VISUAL DESCRIPTION | | | | | | |
| FUNCTION | Sliding System for Hanging Doors | One Way Sliding System with Invisible Tracks | Coplanar Door System (Flush Doors) | Sliding System for Overlapping Doors | Sliding System for Overlapping Doors | Sliding System for Retractable Doors |
| DOOR HEIGHTS | 2500mm | 2800mm | 3000mm | 3000mm | 3000mm | 2400mm-2700mm |
| DOOR THICKNESS | 18mm-50mm | - | 16mm-43mm 55mm including handles | 18mm-32mm | 18mm-32mm | 25mm-40mm |
| DOOR WIDTH | 500mm- 1400mm | 450mm- 1400mm | 890mm- 1800mm | 400mm (1 way soft close) 760mm (2 way soft close) | 400mm | 600mm-1000mm |
| WEIGHT CAPACITY | 50kg per door | 60kg per door | 45kg-60kg per door depending on configuration | 80kg per door | 80kg per door | 50kg per door |
| MAX DOOR QTY | Up to 3 per unit | - | Up to 3 | Up to 4 | Up to 4 | 1 |
| SOFT CLOSE | Yes | Yes | Yes | Yes | Yes | Yes |
| TRACK LENGTH | 3050mm | 3050mm | 2m or 4m | 2m or 4m | 2m or 4m | - |
| B-moved' COMPATIBLE | No | No | Yes | Yes | Yes | No |

TOP HUNG



RE-TRACTING



Instagram:

@wilsonandbradley

Facebook:

Wilson & Bradley

D

YouTube:

@wilsonandbradley

4

TikTok:

@wilsonandbradley

P

Pinterest

@wilsonandbradley

Houzz

Wilson & Bradley

ArchiPro:

@wilsonandbradley

Melbourne

94 Bell Street Preston VIC 3072

Sydney

Unit 4, 3 Basalt Road Greystanes NSW 2145

Perth

19 Christable Way Landsdale WA 6065

Brisbane

Building 4.1, Logrunner Place Willawong QLD 4110

Adelaide

9/20 Cheltenham Parade Woodville SA 5011

Tasmania

Ph: 1800 633 507

Wilson & Bradley Pty Ltd

videos, promotions and manuals.

Support

1800 633 507 sales@wilbrad.com.au

Online Store

wilbrad.com.au



Scan the QR code to view our interactive brochures online.



Contact us for more information on any of our

products, or visit our website for instructional